

IN THE CLAIMS

Please amend the claims as follows:

A1  
cont  
Claim 1 (Currently Amended): A transport stream recording apparatus for recording a transport stream on a recording medium, comprising:

a detector ~~for detecting~~ configured to detect, from a transport packet constituting said transport stream, a system time clock (STC) discontinuity point in said transport stream;

a ~~discontinuity point information generator for generating discontinuity point~~ configured to generate STC sequence information indicative of the sequence of transport packets that includes no STC discontinuity in accordance with said STC discontinuity point; and

a recording unit ~~for recording~~ configured to record said transport packet onto said recording medium along with said ~~discontinuity point~~ STC sequence information.

Claim 2 (Currently Amended): A transport stream recording apparatus according to claim 1, wherein said detector ~~comprising~~ comprises:

a first extracting block ~~for extracting~~ configured to extract reference time information located in said transport stream;

a time information generator ~~for generating~~ configured to generate system time information on the basis of said reference time information; and

a time discontinuity detector ~~for detecting~~ configured to detect occurrence of discontinuity in said reference time information.

Claim 3 (Currently Amended): A transport stream recording apparatus according to claim 2, wherein said ~~discontinuity point information~~ generator generates, as said

~~discontinuity~~ STC sequence information, time axis identification information for identifying a time axis and positional information corresponding to a start time of said time axis.

A1  
Cont  
Claim 4 (Currently Amended): A transport stream recording apparatus according to claim 3, wherein said ~~discontinuity point information~~ generator generates, as said time axis identification information, said system time information corresponding to a start time of said time axis and said system time information corresponding to an end time of said time axis.

Claim 5 (Currently Amended): A transport stream recording apparatus according to claim 3, wherein said ~~discontinuity point information~~ generator generates, as said time axis identification information, said system time information corresponding to a display start time on said time axis and said system time information corresponding to a display end time on said time axis.

Claim 6 (Original): A transport stream recording apparatus according to claim 2, wherein said reference time information is a program clock reference and said system time information is a system time clock.

Claims 7-9 (Canceled).

Claim 10 (Currently Amended): A transport stream recording apparatus according to claim 1 further comprising:

a first analyzer ~~for extracting~~ configured to extract, from said transport packets, a transport packet including data that may provide a reproduction start position; and

an entry point map generator ~~for generating~~ configured to generate an entry point map for identifying said transport packet including said data;

wherein said recording unit records, along with said ~~discontinuity point~~ STC sequence information, said entry point map on said recording medium as said database corresponding to said transport stream.

Claim 11 (Currently Amended): A transport stream recording apparatus according to claim 10, wherein said first analyzer extracts a transport packet including I picture data as said transport packet including said data that may provide said reproduction start position; and

said entry point map generator generates said entry point map by use of positional information of said transport packet including said I picture data and time information of said I picture.

Claim 12 (Currently Amended): A transport stream recording apparatus according to claim 1 further comprising:

a second analyzer ~~for extracting~~ configured to extract a transport packet including data that provide a mark point from said transport packets; and

a mark point information generator ~~for generating~~ configured to generate mark point information for identifying said transport packet including said data that provide said mark point;

wherein said recording unit records said mark point information on said recording medium as said database corresponding to said transport stream along with said ~~discontinuity point~~ STC sequence information.

Claim 13 (Original): A transport stream recording apparatus according to claim 12, wherein said mark point information generator generates said mark point information by use of time information of said mark point and time axis identification information for identifying a time axis to which said time information belongs.

Claim 14 (Original): A transport stream recording apparatus according to claim 13, wherein said time information is a presentation time stamp.

Claim 15 (Currently Amended): A method of recording a transport stream ~~recording method for recording a transport stream on a recording medium~~, comprising the steps of:

detecting, from a transport packet constituting said transport stream, a system time clock (STC) discontinuity point in said transport stream;

generating ~~discontinuity point~~ STC sequence information indicative of the sequence of transport packets that includes no STC discontinuity in accordance with said STC discontinuity point; and

recording said transport packet onto said recording medium along with said STC sequence ~~discontinuity point~~ information.

Claim 16 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 15, wherein said detecting step comprises ~~comprising the steps of~~:

extracting reference time information located in said transport stream;

generating system time information on the basis of said reference time information;

and

detecting occurrence of discontinuity in said reference time information.

Claim 17 (Currently Amended): A method of recording a transport stream recording method according to claim 16, wherein said ~~discontinuity point~~ STC sequence information generating step further comprises ~~comprising the step of~~:

generating, as said ~~discontinuity~~ STC sequence information, time axis identification information for identifying a time axis and positional information corresponding to a start time of said time axis.

Claim 18 (Currently Amended): A method of recording a transport stream recording method according to claim 17, wherein said ~~discontinuity point~~ STC sequence information generating step comprises ~~comprising the step of~~:

generating, as said time axis identification information, said system time information corresponding to a start time of said time axis and said system time information corresponding to an end time of said time axis.

Claim 19 (Currently Amended): A method of recording a transport stream recording method according to 17, wherein said ~~discontinuity point~~ STC sequence information generating step further comprises ~~comprising the step of~~:

generating, as said time axis identification information, said system time information corresponding to a display start time on said time axis and said system time information corresponding to a display end time on said time axis.

Claim 20 (Currently Amended): A method of recording a transport stream recording method according to claim 16, wherein said reference time information is a program clock reference and said system time information is a system time clock.

Claims 21-23 (Canceled).

Claim 24 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 15, further comprising the steps of:

AI  
cont  
extracting, from said transport packets, a transport packet including data that may provide a reproduction start position; and

generating an entry point map for identifying said transport packet including said data;

wherein said recording step records, along with said ~~discontinuity point~~ STC sequence information, said entry point map on said recording medium as said a database corresponding to said transport stream.

Claim 25 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 24, wherein said extracting step ~~comprising~~ comprises the steps of:

extracting a transport packet including I picture data as said transport packet including said data that may provide said reproduction start position; and

generating said entry point map by use of positional information of said transport packet including said I picture data and time information of said I picture.

Claim 26 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 15, further comprising the steps of:

extracting a transport packet including data that provide a mark point from said transport packets; and

generating mark point information for identifying said transport packet including said data that provide said mark point;

wherein said recording step records said mark point information on said recording medium as said database corresponding to said transport stream along with said ~~discontinuity~~ point STC sequence information.

Claim 27 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 26, wherein said mark point information generating step ~~comprising the step of~~ comprises:

generating said mark point information by use of time information of said mark point and time axis identification information for identifying a time axis corresponding to which said time information ~~belongs~~.

Claim 28 (Currently Amended): A method of recording a transport stream ~~recording method~~ according to claim 27, wherein said time information is a presentation time stamp.

Claims 29-42 (Canceled).

Claim 43 (Currently Amended): A transport stream reproducing apparatus for reproducing a transport stream recorded on a recording medium, comprising:

a reproducing unit ~~for reproducing~~ configured to reproduce said transport stream and system time clock (STC) sequence information from said recording medium[;], said transport stream including a sequence of transport packets, and said STC sequence information indicating the sequence of transport packets that includes no STC discontinuity; and

*AI cont*  
~~a reproduction controller for executing control such that time axis identification information of said transport stream and an entry point map are reproduced from said recording medium; and~~

~~a controller for searching said time axis identification information and said entry point map for a reproduction start position; configured to control reproduction position on the basis of the STC sequence information and desired access point.~~

~~wherein said reproduction controller controls said reproducing unit such that said recording medium is read in accordance with said reproduction start position.~~

Claim 44 (Currently Amended): A ~~transport stream reproducing method for~~ of reproducing a transport stream ~~from~~ recorded on a recording medium, comprising the steps of:

reproducing said time axis identification transport stream and system time clock (STC) sequence information of from said transport stream and an entry point map from said recording medium; said transport stream including a sequence of transport packets; said STC sequence information indicating the sequence of transport packets that includes no STC discontinuity; and

controlling reproduction position on the basis of the STC sequence information and desired access point.

~~searching said time axis identification information and said entry point map for a reproduction start position; and~~

~~reading said recording medium in accordance with said reproduction start position.~~

Claim 45 (Canceled).



OK!  
Wash

Claim 46 (Currently Amended): A transport stream recording apparatus comprising:  
an input unit in which a transport stream is inputted;  
a generator for generating reproduction management information in a unit of an interval in which a program clock reference packet identifier (PCR\_PID) ~~PRC\_PID~~-value in said transport stream does not change; and  
a recording unit for recording said reproduction management information along with said transport stream.

Claim 47 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:  
an analyzer ~~for extracting~~ operative to extract information ~~for~~ identifying PCR\_PID.

Claim 48 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:  
an analyzer ~~for extracting~~ operative to extract the number of video elementary streams included in said unit interval.

Claim 49 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:  
an analyzer ~~for extracting~~ operative to extract the number of audio elementary streams included in said unit interval.

Claim 50 (Currently Amended): A transport stream recording apparatus according to 46, wherein said generator ~~comprising~~ comprises:

an analyzer ~~for extracting~~ operative to extract a packet identifier of each video stream included in said unit interval.

al  
Cant  
Claim 51 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:

an analyzer ~~for extracting~~ operative to extract information for identifying a packet identifier of each audio stream included in said unit interval.

Claim 52 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:

an analyzer ~~for extracting~~ operative to extract coding attribute information of each video stream included in said unit interval.

Claim 53 (Currently Amended): A transport stream recording apparatus according to claim 46, wherein said generator ~~comprising~~ comprises:

an analyzer ~~for extracting~~ operative to extract coding attribute information of each audio stream included in said unit interval.

Claim 54 (Currently Amended): A method of recording a transport stream ~~recording method~~ comprising the steps of:

generating reproduction management information in each unit of an interval in which a program clock reference packet identifier (PCR\_PID) ~~PRC\_PID~~ value in an inputted transport stream does not change; and

recording said reproduction management information along with said transport stream.

DL1  
Cont

Claim 55 (Currently Amended): A ~~program recording medium recording a computer-readable program for~~ computer readable carrier including computer program instructions that cause a computer to implement a method of recording a transport stream on a recording medium, said program comprising the steps of:

generating reproduction management information in each unit of an interval in which a program clock reference packet identifier (PCR\_PID) ~~PRC\_PID~~ value in an inputted transport stream does not change; and

recording said reproduction management information along with said transport stream.

Claim 56 (Currently Amended): A computer readable carrier according to claim 55 ~~recording medium for recording a transport stream~~, wherein reproduction management information is recorded in each unit of an interval in which a PCR\_PID value in said transport stream does not change.

Claim 57 (New): A computer program product including a computer readable medium having stored thereon computer executable instructions for recording a transport stream, when executed, said computer readable instructions performing steps, comprising:

detecting, from a transport packet constituting said transport stream, a system time clock (STC) discontinuity point in said transport stream;

generating STC sequence information indicative of the sequence of transport packets that includes no STC continuity in accordance with said STC discontinuity point; and

recording said transport packet onto said recording medium along with said STC sequence information.

Claim 58 (New): The computer program product according to claim 57, wherein said detecting step comprises:

extracting reference time information located in said transport stream;

generating system time information on the basis of said reference time information;

and

detecting the occurrence of discontinuity in said reference time information.

Claim 59 (New): The computer program product according to claim 58, wherein said generating step generates, as said STC sequence information, time axis identification information for identifying a time axis and positional information corresponding to a start time of said time axis.

Claim 60 (New): The computer program product according to claim 59, wherein said generating step generates, as said time axis identification information, said system time information corresponding to a start time of said time axis and said system time information corresponding to an end time of said time axis.

Claim 61 (New): The computer program product according to claim 59, wherein said generating step generates, as said time axis identification information, said system time information corresponding to a display start time on said time axis and said system time information corresponding to a display end time on said time axis.

Claim 62 (New): The computer program product according to claim 58, wherein said reference time information is a program clock reference and said system time information is a system time clock.

Claim 63 (New): The computer program product according to claim 57, further comprising the steps of:

extracting, from said transport packets, a transport packet including data that may provide a reproduction start position; and

generating an entry point map for identifying said transport packet including said data;

recording, along with said STC sequence information, said entry point map on said recording medium as said database corresponding to said transport stream.

Claim 64 (New): The computer program product according to claim 63, further comprising the steps of:

extracting a transport packet including I picture data as said transport packet including said data that may provide said reproduction start position; and

generating said entry point map by use of positional information of said transport packet including said I picture data and time information of said I picture.

Claim 65 (New): The computer program product according to claim 57, further comprising the steps of:

extracting a transport packet including data that provides a mark point from said transport packets; and

generating mark point information for identifying said transport packet including said data that provide said mark point;

recording said mark point information as said database corresponding to said transport stream along with said STC sequence information.

Claim 66 (New): A method of recording a transport stream according to claim 65, wherein said mark point information generating step comprises:

generating said mark point information by use of time information of said mark point and time axis identification information for identifying a time axis corresponding to said time information.

Claim 67 (New): The computer program product according to claim 66, wherein said time information is a presentation time stamp.

Claim 68 (New): A computer program product including a computer readable medium having stored thereon computer executable instructions for reproducing a transport stream, when executed, said computer readable instructions performing steps, comprising:

reproducing said transport stream and system time clock (STC) sequence information from said recording medium, said transport stream including a sequence of transport packets, and said STC sequence information indicating the sequence of transport packets that includes no STC discontinuity; and

controlling reproduction position on the basis of the STC sequence information and desired access point.

Claim 69 (New): The computer program product of claim 68, further comprising the steps of:

*Q1*  
*Cont*  
generating reproduction management information in a unit of an interval in which a program clock reference packet identifier (PCR\_PID) value in said transport stream does not change; and

a recording unit for recording said reproduction management information along with said transport stream.

Claim 70 (New): A computer readable recording medium for recording transport packet information and STC sequence information, comprising:

a stream database configured to store said STC sequence information, said STC sequence information indicative of the sequence of transport packets that includes no STC discontinuity in accordance with a STC discontinuity point detected in said transport stream.

Claim 71 (New): The computer readable recording medium according to Claim 70, wherein said STC sequence information comprises time axis identification information for identifying a time axis and positional information corresponding to a start time of said time axis.

Claim 72 (New): The computer readable recording medium according to Claim 71, wherein said time axis identification information comprises said system time information corresponding to a start time of said time axis and said system time information corresponding to an end time of said time axis.

*A*  
*coral*

Claim 73 (New): The computer readable recording medium according to Claim 71,  
wherein said time axis identification information comprises said system time information  
corresponding to a display start time on said time axis and said system time information  
corresponding to a display end time on said time axis.

---